

**MAINTENANCE READY
2KILO DATASTREAM**

The background is a gradient of dark blue to black. A thin, light blue curved line starts from the left edge and arcs downwards towards the bottom right. A larger, solid blue triangular shape is positioned in the lower right quadrant, pointing towards the bottom right corner.

DATA STREAM REQUIREMENTS

- ICAV STAMP
- ICAV TYPE - HAMERA/C5RA
- ASSESSOR
 - NAME
 - ORGANIZATION
 - PHONE NUMBER (OPTIONAL)
- DATE OF EVENT (WHEN DISCOVERED DATE OF 2KILO)
- EOC - PRE AND POST
- ROOT CAUSE CODE - TSP
- SYSTEM LEVEL IMPACT - TSP
- INITIAL EQUIPMENT STATUS
- **LOCATION - NORFOLK**
- PROCEDURE
 - PROCEDURE STEP
- OUT OF SPECIFICATION PARAMETERS
- RECOMMENDED TIMEFRAME
 - REPAIR BEFORE OPERATE
 - PRIOR TO NEXT UNDERWAY

DATA STREAM FORMAT

- COMPARATIVE ANALYSIS BETWEEN SURFACE AND AIR
- TBD BY ABOD
- RECOMMEND FORMAT
- ICAVA!C5RA!A!NORFOLK!U!SMITH!FTSCLANT302!7574433872!05!10!MIP4711!!!
- ICAV - ASSESSMENT TEAM GENERATED 2KILO, A = ASSESSMENT, R = REPAIR
- C5RA - VISIT TYPE
- A - MCA 2KILO - (M: MAINTENANCE READY 2KILO; CODE FOR A 2KILO THAT WAS GENERATED WITHOUT A STANDARD STATEMENT)
- NORFOLK - LOCATION
- U: UNDERWAY (P:DONE IN PORT)
- SMITH: EVALUATOR'S NAME
- FTSCLANT 302: ASSESSOR ORGANIZATION AND CODE
- 7574433872: EVALUATORS PHONE #
- 05: ARRIVAL EOC (VALUE 00 TO 10)
- 10: DEPARTURE EOC (VALUE 00 TO 10)
- MIP477: ASSESSMENT PROCEDURE NUMBER
- !!!: ROOM FOR 3 GROWTH FIELDS

OTHER ISSUES

- FIELDS ARE VARIABLE LENGTH BUT THE NUMBER OF FIELDS ARE FIXED
- BUSINESS RULE FOR TO DETERMINE IF MORE THAN ONE DISCREPANCY CAN BE INCLUDED ON ONE 2KILO
- INCORPORATE INTO JFMM
- INCORPORATE INTO 3M